



# High performance products for berries



Visit us at [corteva.ca](http://corteva.ca)

®/™/SM Trademarks or Service Marks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or their respective owners. © 2019 Corteva.

## BERRY GROWER PRODUCT GUIDE

	INSECTICIDES										FUNGICIDES					HERBICIDES							
	Close <sup>®</sup> insecticide	Delegate <sup>™</sup> insecticide	Entrust <sup>™</sup> insecticide	GF-120 <sup>™</sup> Fruit Fly Bait	Intrepid <sup>™</sup> insecticide	Lannate <sup>™</sup> insecticide	Lorsban <sup>™</sup> 50W insecticide	Lorsban <sup>™</sup> NT insecticide	Success <sup>™</sup> insecticide	TwinGuard <sup>™</sup> insecticide	Vydate <sup>™</sup> insecticide	Dithane <sup>™</sup> Rainshield <sup>™</sup> fungicide	Fontelis <sup>™</sup> fungicide	Indar <sup>™</sup> fungicide	Novar <sup>™</sup> fungicide	Quintec <sup>™</sup> fungicide	Tanos <sup>™</sup> fungicide	Goal <sup>™</sup> 2XL herbicide	Kerb <sup>™</sup> SC herbicide	Lomril <sup>™</sup> 360/Lomril <sup>™</sup> XC herbicide	Pilem <sup>™</sup> SG herbicide	VP480 herbicide	
Blackberry	X	X		X				X						X		X							
Blueberry – lowbush	X	X	X	X				X				X		X				X	X				X
Blueberry – highbush	X	X	X	X				X					X	X				X		X	X		X
Cranberry	X	X		X				X				X								X			X
Raspberry	X	X		X				X		X				X		X		X				X	
Saskatoon berry	X	X		X				X						X									
Strawberry	X	X					X	X	X			X		X	X			X	X	X			X

Always read the label for rates, instructions and precautions. Please call the Solutions Center at 1-800-667-3852 or visit [corteva.ca](http://corteva.ca) for more information.

## Why use Delegate™ or Success™?

- Proven, excellent control of a broad range of pests
- Excellent control of a broad range of insects including spotted wing drosophila
- Unique mode of action that controls insects two ways – on contact and by ingestion – for quick knockdown and residual activity
- Moves through the leaf, providing extra protection against insects that feed from the underside of leaves and increasing resistance to wash-off by rain
- Pre-harvest interval: strawberries, cane berries = 1 day; bush berries = 3 days; cranberries = 21 days

**Delegate™**

**INSECTICIDE**

**Success™**

**INSECTICIDE**

Group 5



Visit us at [corteva.ca](http://corteva.ca)

®/™/SM Trademarks or Service Marks of Dow AgroSciences, DuPont or Pioneer, and their affiliated companies or their respective owners. © 2019 Corteva

## Why use Entrust™?

- Improved control of insects on organic farms
- Excellent activity on armyworm, thrips, leafminers, codling moth, cherry fruit fly and spotted wing drosophila
- Provides quick knockdown and residual activity because it controls insects on contact and by ingestion
- Pre-harvest interval: low-growing berry subgroup and cane berry subgroup = 1 day; bush berries and low-growing berries = 3 days; cranberries: 21 days

**Entrust™**  
**INSECTICIDE**

Group 5



Visit us at [corteva.ca](http://corteva.ca)

®.™.™™ Trademarks or Service Marks of Dow AgroSciences, DuPont or Pioneer, and their affiliated companies or their respective owners. © 2019 Corteva

## Why use Intrepid™?

- Controls pests at early stages to get your berries off to a strong start
- Induces premature molt in lepidopterous pests (caterpillars) without adversely affecting beneficial insects such as bees, predatory mites, beets, wasps and spiders
- Has both ovicidal and larvicidal activity providing long residual control (up to 10–14 days after application)
- Unique mode of action and valuable tool in any IPM program
- Pre-harvest interval: blueberries = 7 days; cranberries = 14 days

**Intrepid™**

**INSECTICIDE**

---

Group 18



Visit us at [corteva.ca](http://corteva.ca)

®.™.™™ Trademarks or Service Marks of Dow AgroSciences, DuPont or Pioneer, and their affiliated companies or their respective owners. © 2019 Corteva

## Excellent fungicides for berries

### Fontelis™

FUNGICIDE

- Group 7 fungicide
- Excellent residual, preventative and post-infection activity in many crops
- Provides translaminar and locally systemic protection
- Post-harvest interval: berries, blueberries = 0 days

### Nova™

FUNGICIDE

- Group 3 fungicide
- Systemic, providing long-lasting, effective powdery mildew control
- Can be re-applied in blueberries every 7-14 days; strawberries every 14-21 days
- Pre-harvest interval: strawberries = 3 days; bush berries = when harvesting by hand 6 days except for low bush blueberries, which is 4 days; when harvesting mechanically 1 day; cranberries = when harvesting by hand 6 days; when harvesting mechanically 1 day

### Quintec™

FUNGICIDE

- Group 13 fungicide
- Protectant powdery mildew control using a unique mode of action
- Preventative applications on strawberries can be applied every 10-14 days
- Pre-harvest interval: strawberries = 1 day

**Tanos™**

FUNGICIDE

- Group 11 and Group 27 fungicide
- Post-infection and kick-back activity against late blight and control of late blight stem infections
- Offers both systemic and protectant activity
- Post-harvest interval: cane berries = 9 days

## Excellent herbicides for berries

**Goal™ 2XL**

HERBICIDE

- Group 14 herbicide
- Excellent pre- and post-emergence control of broadleaf weeds
- Pre-harvest interval: raspberries = 50 days; high bush blueberries = 50 days; strawberries = 150 days

**Lontrel™ 360**

HERBICIDE

- Group 4 herbicide
- The standard for thistle control in strawberries, blueberries and cranberries

**Lontrel™ xc**

HERBICIDE

- Translocates for complete in-season thistle control
- Pre-harvest interval: cranberries = 60 days; low bush blueberries = 10 months

For further agronomic information, please contact  
your local Corteva Agriscience™ sales representative,  
or call the Solutions Center at 1-800-667-3852.

**[corteva.ca](http://corteva.ca)**



Visit us at [corteva.ca](http://corteva.ca)

As with all crop protection products, read and follow label instructions carefully.  
All information effective January 2019, Member of CropLife Canada.

®/™/SM Trademarks or Service Marks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or their respective owners. © 2019 Corteva. | 01/19-62931