



High performance products for cranberries



Visit us at corteva.ca

®.™.™™ Trademarks of Corveva Agriscience and its affiliated companies. © 2021 Corveva.

CRANBERRY GROWER PRODUCT GUIDE	INSECTICIDES				FUNGICIDES	HERBICIDES	
	Delegate™ insecticide	Entrust™ insecticide	Intrepid™ insecticide	Success™ insecticide	Fontelis™ fungicide	Lontrel™ XC herbicide	VP480 herbicide
INSECTS							
Blackheaded fireworm	X	X	X	X			
Cranberry fruitworm		X*	X	X*			
Cranberry tipworm	X*						
Sparganothis fruitworm	X	X	X	X			
DISEASES							
Botrytis gray mold					X		
WEEDS							
Annual/perennial weeds							X
Vetch						X	

*Suppression

Always read the label for rates, instructions and precautions. Please call the Solutions Center at 1-800-667-3852 or visit corteva.ca for more information.

Why use Delegate™ insecticide?

- Excellent control of Blackheaded fireworm and Sparganothis fruitworm
- Registered for chemigation
- Unique mode of action provides a strong rotational partner in IPM programs
- Controls a broad spectrum of insects through contact and ingestion for quick knockdown

GROUP

5

Delegate™

INSECTICIDE

Why use Entrust™ insecticide?

- The go-to product for organic producers
- Ecocert Canada certified
- Registered for chemigation
- Excellent activity on Blackheaded fireworm and Sparganothis fruitworm, as well as suppression of Cranberry fruitworm
- Provides quick knockdown and solid residual activity
- Controls insects on contact and through ingestion
- Pre-harvest interval: 21 days

GROUP

5

Entrust™

INSECTICIDE

Why use Intrepid™ insecticide?

- Control of Cranberry fruitworm, Blackheaded fireworm and Sparganothis fruitworm
- Registered for chemigation
- Has both ovicidal and larvicidal activity providing long residual control
- Controls lepidopterous pests without adversely affecting beneficial insects such as bees when used according to the product label
- Initiates lethal premature molt which stops feeding within 24 hours
- Unique mode of action and valuable tool in any IPM program
- Pre-harvest interval: 14 days

GROUP

18

Intrepid™

INSECTICIDE

Broadcast and chemigation application of Delegate™, Entrust™ and Intrepid™

- Thorough, uniform coverage of all foliage and fruit is essential for good insect control.
- It is important to monitor pest staging and development in order to time product application for best results.
- **Chemigation:** May be applied through a solid set overhead sprinkler irrigation system that will apply water uniformly and within the confines of a closed perimeter of dykes. For more information about chemigation, please refer to the product label.
- **Broadcast:** Applications may also be applied by conventional ground equipment.

Other great cranberry insecticides

Success™

INSECTICIDE

Cost-effective for key cranberry pests

Excellent fungicides for cranberries

Fontelis™

FUNGICIDE

Powerful, flexible control of fruit rot diseases

Effective herbicides for cranberries

Lontrel™ XC

HERBICIDE

Effective vetch and broadleaf weed control

VP480

HERBICIDE

Annual and perennial weed control

For further agronomic information, please contact
your local Corteva Agriscience™ sales representative,
or call the Solutions Center at 1-800-667-3852.

corteva.ca



Visit us at corteva.ca

As with all crop protection products, read and follow label instructions carefully.
All information effective January 2021. Member of CropLife Canada.

™ Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.