



N-Serve™

Nitrogen Stabilizer

with OPTINYTE™ TECHNOLOGY

Nitrogen stabilizer to reduce nitrogen loss

GUARANTEED MINIMUM ANALYSIS: 22% Nitrapyrin (CAS # 1929-82-4)

RECOMMENDED USE RATE: 2.35 L/ha

Registration Number 2021728S *Fertilizers Act*

Net Weight XXX Kg (XX L)

Lot number: see packaging

DANGER



READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

Corteva Agriscience Canada Company

2450, 215 – 2nd Street S.W.

Calgary, Alberta

T2P 1M4

1-800-667-3852

™Trademark of Corteva Agriscience and its affiliated companies.

For Chemical Emergency: Call 1-800-667-3852. .

DIRECTIONS FOR USE

N-Serve Nitrogen Stabilizer is an oil soluble formulation for use with anhydrous ammonia and ammonium based dry fertilizers such as urea, mono and di-ammonium phosphate, ammonium sulfate and ammonium nitrate. N-Serve is recommended for use as a pre-plant or at-plant application with the fertilizer on land to be planted with any crop that requires nitrogen fertilization. **FOR USE ONLY WITH anhydrous ammonia (NH₃)**

N-Serve must be injected or incorporated in a zone or band in the soil with the NH₃ fertilizer during the fertilizer application.

The recommended use rate for N-Serve is 2.35 L/ha.
Apply only once per crop per growing season

Storage: Store in a well-ventilated place.

Disposal: Dispose of contents/ container to an approved waste disposal plant.
Empty containers retain product residues. Follow label warnings even after container is emptied. Refer to applicable federal, provincial and local disposal regulations.

GENERAL USE PRECAUTIONS

Apply only as specified on this label.

This material is toxic to aquatic organisms. Avoid spilling or emptying product into streams, ponds or other bodies of water.

To minimize corrosion of equipment and for maximum effectiveness, do not store anhydrous ammonia containing N-Serve longer than three weeks.

HAZARDS

Flammable liquid and vapour.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

May cause drowsiness or dizziness.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Keep away from heat, sparks and flame. Do not cut or weld container.

Avoid breathing vapour or mist. Use outdoors or in well-ventilated area.

Do not swallow. Avoid contact with eyes, skin, and clothing.

Keep container closed. Use with adequate ventilation.

INDIVIDUAL PROTECTION MEASURES

Eye/face protection: Use safety glasses (with side shields).

Hand protection: Use gloves chemically resistant to this material.

Other protection: Use protective clothing chemically resistant to this material.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Response:

IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin or hair with water. If skin irritation or rash occurs: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTRE/doctor if you feel unwell. Do NOT induce vomiting.

FOR FIRE

Use dry chemical, or carbon dioxide fire extinguishers, or synthetic, protein or alcohol-resistant foam to extinguish. Cool with water spray. This material may produce a floating fire hazard. Flash Point 40° C.

™ Trademark of Corteva Agriscience and its affiliated companies.

011523

Label Code: CN-2721728S-002-E

Replaces: CN-2721728A-001-E

Specimen Notes:

Updates due to registration amendments