

# Utrisha<sup>™</sup> N

# **NUTRIENT EFFICIENCY BIOSTIMULANT**

Biofertilizer based on an exclusive nitrogen-fixing microbial strain CONTAINS NONPLANT FOOD INGREDIENT(S)

**GUARANTEED MINIMUM ANALYSIS**: *Methylobacterium symbioticum SB23*, 3 x 10<sup>7</sup> CFU/q.

Registration Number 2021931S Fertilizers Act

READ ALL DIRECTIONS CAREFULLY BEFORE APPLYING.

**Net Weight XXXkg** 

Lot number: see packaging. | Manufacturing date: see packaging. | Expiry date: see packaging.

Corteva Agriscience Canada Company Suite 240, 115 Quarry Park Rd. SE Calgary, Alberta T2C 5G9

™Trademark of Corteva Agriscience and its affiliated companies.

For Chemical Emergency Call 1-800-667-3852.



# **GENERAL INFORMATION**

Utrisha™ N ensures an effective and controlled natural supply of nitrogen to the crop based on a nitrogen-fixing bacteria strain. Utrisha N contains the exclusive strain of *Methylobacterium symbioticum SB23*, characterized by high atmospheric nitrogen-fixing capacity and is suitable for agricultural and precision systems. Its presence inside the leaves enables it to efficiently fix atmospheric nitrogen, contributing this macronutrient, essential for vegetative and growth, to the plant in a natural and controlled way.

# **DIRECTIONS FOR USE**

Utrisha N is a wettable powder formulation that contains the exclusive strain of *Methylobacterium symbioticum SB23*. Foliar applications of *Methylobacterium symbioticum SB23* from Utrisha N can result in improved crop yield.

# RECOMMENDATIONS FOR FOLIAR APPLICATIONS

Crops	Application Rates	Time of application*
Cereals and grain crops	(g/ha)	
Rice, winter and spring cereals, corn, and sorghum	333	Apply between 4 leaf stage until pre-senescence.
Oilseeds and Pulse Crops		1
Sunflower, canola, mustard and rapeseed	333	Apply between 4 leaf stage until pre-senescence.
Soybean, dry beans, field peas, lentils, chickpeas and grain legumes	333	Apply between 3 leaf stage until pre-senescence.
Horticultural crops	1	
Chard, garlic, artichoke, celery, broccoli, onion, green onions, cabbage, cauliflower, escarole, white asparagus, asparagus, spinach, pea, broad bean, fennel, lettuce, melon, leek, radish, Romanesco, watermelon, beet, squash, pumpkin and carrot	333	Apply during active growth.
Potato, sweet potato and sugar beets		
Eggplant, zucchini, cucumbers, peppers, pepper for paprika, tomatoes, ginseng and herbs		
Strawberry, blueberries (low and high bush), raspberries, caneberries, saskatoon berries, cranberries		Apply during active growth. Apply annually

Woody crops				
Nut trees, stone fruits trees and pome fruits trees	333	Apply during active growth. Apply annually.		
Ornamental trees and shrubs				
Grapes				
Rangeland, Permanent Pasture and	Forages			
Rangeland species, permanent pasture crops and seeded pastures	333	Crops must be in an active growing stage and application can be aligned with a top dressing fertilizer application timing. Apply annually.		
Alfalfa, hay and forage species				
Turf grass and Ornamental Plants				
Turf grass species	333	Plants must be in an active growing stage and application can be aligned with a top dressing fertilizer application timing. Apply annually.		
Annual ornamental plants species	333	Apply during active growth.		
Perennial ornamental plant species	333	Apply during active growth. Apply annually.		

<sup>\*</sup> For other crops and/or more information, consult your company representative for further information.

### **SPRAY SOLUTION VOLUME**

Dissolve product in a water volume of 10 L/ha or greater and apply with a suitable system for foliar application.

# **CROP STATUS**

Good nutritional and growth status. **For best results**, apply in early morning when leaf stomata (pores) are open.

### **COMPATIBILITY**

Utrisha N has been tested in a mixture with various phytosanitary products, fertilizers, crop protection products and adjuvants This product may be tank mixed with pesticides. In some cases, tank mixing with pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact the company responsible for the pest control product before applying any tank mix. A jar test is recommended before mixing with other fertilizers or pesticides. For more information on compatibility, contact your company representative.

### **RAINFAST**

Utrisha N is rainfast 1 hour after application. Otherwise, repeat the application.

# **INCOMPATIBILITY**

Do not apply to crops that are affected by soil salinity, water stress, frost, pests and diseases, poor nutrition, and other adverse factors. A combined application with chlorinated products, water with > 2 ppm Cl-, or any tank-mix additive containing free chloride ions is not recommended. For additional information on incompatibility with other products, contact your company representative.

**pH:** do not apply in solutions with a pH less than 5 or greater than 8.

### STORAGE AND DISPOSAL

### STORAGE CONDITIONS

Keep the product in a well-ventilated place. Store at room temperature, do not exceed temperatures of 30 °C. Keep the product hermetically closed. Single Use Only.

### **DISPOSAL CONDITIONS**

Rinse container thoroughly. Add washings to the tank. Empty packaging should be disposed of according to local requirements.

Information regarding the content and level of metals in this product is available on the internet at <a href="http://www.aapfco.org/metals.html">http://www.aapfco.org/metals.html</a>

### **PRECAUTIONS**

### **KEEP OUT OF REACH OF CHILDREN**

# Contains microorganisms. May cause allergic reactions.

Avoid breathing dust. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product.

Wear protective gloves, goggles and protective mask. Wash hands thoroughly after handling.

Collect spillage. Contains microorganisms. May cause allergic reactions.

The use of respiratory protection equipment (disposable respirator or filter mask, at least EN 149 FFP3 or equivalent) is recommended when handling the preparation or applying the product.

Call a POISON CENTRE if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.

### **FIRST AID**

**If on skin:** Wash with plenty of water and soap. If skin irritation occurs: Get medical treatment advice. **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

**If swallowed:** Rinse mouth. Do NOT induce vomiting. **If experiencing respiratory symptoms:** Call a doctor.

If medical advice is needed have product container of label at hand. Treat symptoms. Call a doctor if you feel unwell. Have product container or label at hand.

DO NOT LEAVE THE PATIENT ALONE.

### **ENVIRONMENTAL RISK MITIGATION**

Avoid contaminating surface water and waterways.

Do not clean the application vessel/tank near surface water.

071723

Label Code: CN-2021931S-004-E Replaces: CN-2021931S-003-E

Specimen Label Notes

Address update to Quarry Park