



# Supported Tank-Mix List

## May 2022

Utrisha™ N Nutrient Efficiency Biostimulant is compatible with many crop protection products. This list is a third release of a growing supported tank-mix list.

### Application Guidelines:

- The products in the following tables have been tested individually for compatibility with Utrisha N. **Tank-mixes with combinations of products listed in the table, or other combinations still need to be evaluated.**
- The products below have been approved, but **it does not mean alternatives with the same active ingredients will also be compatible.**
- **The tank-mix must be applied immediately.** Do not leave a Utrisha N tank-mix in the tank for more than 2 hours.
- Apply with a minimum of 10 GPA of water, unless otherwise indicated below.
- Use water with a total chlorine content <2 ppm.
- Use water with a pH between 5 and 8.

Cereal Herbicides	
Rexade™	Axial® Xtreme
Rezuvant™ XL	Velocity m3
Simplicity™ GoDRI™	Exhilarate™
Prominex™	Paradigm™
Liquid Achieve™ SC	Horizon® NG
Foothills® NG	IPCO MCPA Ester 600 <sup>1</sup>
Albaugh MCPA Ester 600 <sup>1</sup>	

Canola Herbicides
Select®
Facet® L
Liberty®* 150 SN (Up to 1.6L/acre)
Liberty®* 150 SN (Up to 1.6L/acre) + Antler™ (0.05L/acre) + Journey HSOC (0.5%)
VP480**
Lontrel™ XC
Eclipse™

\*For optimal results, use a water volume of 15 gal/ac when applying with Liberty® 150 SN.

\*\*Maximum use rate of VP480 is 450g/ac with 15 GPA of water. Maximum use rate is 370 g/ac with 10 GPA of water.

<sup>1</sup> Maximum use rate of 6 oz/ac

Supported tank-mix list is as of May 18, 2022

This document ONLY contains information about Corteva Agriscience™ recommendations. Consult the manufacturer of the other product(s) to ensure they do not contradict the mixture, and for guidelines, label use instructions and precautions.

Always read and follow label directions.



NUTRIENT EFFICIENCY  
BIOSTIMULANT

# Supported Tank-Mix List

May 2022

## Soybean Herbicides\*

Classic™ 75DF	FirstRate™
Classic™ 75DF + Agral® 90	FirstRate™ + Agral® 90
Enlist™ 1	VP480**
Freestyle™ + Agral® 90	Reflex®
Engenia®	Pinnacle® SG
Zidua® SC	Pursuit®

\*Use a minimum of 15 GPA water volume for approved soybean and corn herbicide tank-mixes.  
\*\*Maximum use rate of VP480 is 450g/ac with 15 GPA of water. Maximum use rate is 370 g/ac with 10 GPA of water.

## Fungicides

Acapela™
Delaro® Complete

## Corn Herbicides\*

Steadfast™ IS	VP480**
Destra™ IS	Enlist™ 1
Lontrel™ XC	Callisto® 480SC
Callisto® 480 SC + Aatrex® Liquid480 + Agral 90	
Dual II Magnum®	Marksman®
Laudis®	Aatrex® Liquid480
Zidua® SC	Halex® GT
Halex® GT + Aatrex® Liquid480 + Agral 90	

## Adjuvants

Activator® 90
Agral® 90
MSO® Concentrate
Interlock®
Merge®

Supported tank-mix list is as of May 18, 2022

This document ONLY contains information about Corteva Agriscience™ recommendations. Consult the manufacturer of the other product(s) to ensure they do not contradict the mixture, and for guidelines, label use instructions and precautions.

Always read and follow label directions.

Select® (Arysta LifeScience); Delaro® Complete, Laudis®, Velocity m3 (Bayer CropScience Inc.); Engenia®, Facet® L, Liberty® 150 SN, Marksman®, Pursuit®, Zidua® SC (BASF Corporation); Acapela™, Destra™ IS, Rexade™, Rezuvant™ XL, Simplicity™ GoDRI™, Paradigm™, Prominex™, Cirpreme™ XC, Liquid Achieve™ SC, Eclipse™ XC, Steadfast™ IS, FirstRate™, Freestyle™, Classic™ 75DF, Enlist™ 1, Lontrel™ XC, VP480 (Corteva Agriscience™); Activator® (Nufarm); Aatrex® Liquid480, Agral® 90, Axial® Xtreme, Callisto® 480SC, Dual II Magnum®, Horizon® NG, Halex® GT, Reflex® (Syngenta); Pinnacle® SG (FMC); Foothills® NG, MSO® Concentrate (Loveland Products); Antler™ Winfield® United



# Tank-Mixing Instructions

**1. Fill spray tank half-full with water.**

- Use water with a total chlorine content <2 ppm.
- Use water with a pH between 5 and 8.
- If using chlorinated water, use as a chlorine inhibiting product.

**2. Begin agitation.**


**3. Add Supported Tank-Mixes in the following order:**

- Wettable Powders/Dry Flowables
- Soluble Concentrate (SC) or liquid flowables
- Capsule Suspension (CS) or Suspension Emulsion (SE)
- Soluble Liquids (SL)
- Emulsifiable Concentrate (EC)
- COC, NIS, MSO, other adjuvants

**4. Add Utrisha™ N Nutrient Efficiency Biostimulant directly to application tank.**

**5. Top off with liquid carrier**

**6. Spray immediately after mixing**



Supported tank-mix list is as of May 18, 2022

This document ONLY contains information about Corteva Agriscience™ recommendations. Consult the manufacturer of the other product(s) to ensure they do not contradict the mixture, and for guidelines, label use instructions and precautions.

Always read and follow label directions.