

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Lumivia Insecticide Seed Treatment
Other means of identification : No data available

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE CANADA COMPANY
SUITE 240, 115 QUARRY PARK RD. SE
CALGARY AB, T2C 5G9
CANADA

Customer Information : 800-667-3852
Number
E-mail address : solutions@corteva.com

Emergency telephone : Corteva Canada Solutions: 1-800-667-3852
number

Recommended use of the chemical and restrictions on use

Recommended use : End use insecticide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Inhalation) : Category 4

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H332 Harmful if inhaled.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P271 Use only outdoors or in a well-ventilated area.
Response:
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version 2.0 Revision Date: 02/15/2025 SDS Number: 800080101892 Date of last issue: 01/30/2025
Date of first issue: 01/30/2025

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	Chlorantraniliprole	500008-45-7	50
Propanediol	Propanediol	57-55-6	$\geq 3 - < 7$ *
Glycerol	Glycerol	56-81-5	$\geq 3 - < 7$ *
Balance	Balance	Not Assigned	> 30

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.
- If inhaled : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- In case of skin contact : The material is not likely to be hazardous by skin contact, but cleaning the skin after use is advisable. Consult a physician if necessary.
- In case of eye contact : No specific intervention is indicated as the compound is not likely to be hazardous. If in eyes, rinse with water for 15 minutes. Consult a physician if necessary.
- If swallowed : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- Most important symptoms and effects, both acute and delayed : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to:
Carbon oxides
Nitrogen oxides (NO_x)
Hydrogen chloride gas
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
See Section 13, Disposal Considerations, for additional information.

SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use with local exhaust ventilation.
- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version 2.0 Revision Date: 02/15/2025 SDS Number: 800080101892 Date of last issue: 01/30/2025
Date of first issue: 01/30/2025

Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Do not breathe vapours or spray mist.
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents
Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propanediol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aerosol)	10 mg/m3	CA ON OEL
Glycerol	56-81-5	TWA (Mist)	10 mg/m3	CA AB OEL
		TWA (Mist)	10 mg/m3	CA BC OEL
		TWA (Respirable mist)	3 mg/m3	CA BC OEL
		TWAEV (Mist)	10 mg/m3	CA QC OEL

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Use sufficient ventilation to keep employee exposure below recommended limits.

Personal protective equipment

Respiratory protection : See skin and body protection
Hand protection

Remarks : See skin and body protection
Eye protection : See skin and body protection
Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Shoes plus socks
Applicators and other handlers of the diluted material must wear: shirt, pants, socks and shoes.
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
Long sleeved shirt and long pants
Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Hygiene measures : detergent and hot water. Keep and wash PPE separately from other laundry.
: Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
Remove clothing/PPE immediately if material gets inside.
Wash thoroughly and put on clean clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: white
Odour	: Slight pungent odor
Odour Threshold	: not determined
pH	: 4 - 9 Concentration: 10 g/L
Freezing point	: No data available
Melting point/ range	: Not applicable
Boiling point/boiling range	: No data available
Flash point	: No flash up to boiling point.
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable to liquids
Flammability (liquids)	: The product is not flammable.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.2573 (20 °C)
Density	: 1.23 - 1.27 g/cm3
Solubility(ies)	
Water solubility	: dispersible
Auto-ignition temperature	: > 600 °C
Viscosity	
Viscosity, kinematic	: not determined The product is not an Ultra low volume Preparation.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 Remarks: Information source: Internal study report
Acute inhalation toxicity	:	LC50 (Rat): > 4.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Information source: Internal study report
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Information source: Internal study report

Components:

Chlorantraniliprole:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402

Propanediol:

Acute oral toxicity	:	LD50 (Rat): > 20,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rabbit): 317.042 mg/l Exposure time: 2 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Glycerol:

Acute oral toxicity : LD50 (Rat): > 11,500 mg/kg
Remarks: Excessive exposure may cause:
Central nervous system effects.
Observations in humans include:
Altered blood sugar levels.

Acute inhalation toxicity : LC50 (Rat): > 2.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred following exposure to a saturated atmosphere.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Guinea pig): >= 56,750 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Information source: Internal study report

Components:

Chlorantraniliprole:

Species : Rabbit
Result : No skin irritation

Propanediol:

Species : Rabbit
Result : No skin irritation

Glycerol:

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Remarks : Information source: Internal study report

Components:

Chlorantraniliprole:

Species : Rabbit

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Result : No eye irritation
Method : OECD Test Guideline 405

Propanediol:

Species : Rabbit
Result : No eye irritation

Glycerol:

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Did not cause sensitisation on laboratory animals.
Remarks : Information source: Internal study report

Components:

Chlorantraniliprole:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

Propanediol:

Species : human
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

Chlorantraniliprole:

Germ cell mutagenicity - Assessment : In vivo tests did not show mutagenic effects, In vitro genetic toxicity studies were negative.

Propanediol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Glycerol:

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

Carcinogenicity

Components:

Chlorantraniliprole:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Propanediol:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Glycerol:

Carcinogenicity - Assessment : For the major component(s); Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

Chlorantraniliprole:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Development effects were not observed in laboratory animals.

Propanediol:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility. Did not cause birth defects or any other fetal effects in laboratory animals.

Glycerol:

Reproductive toxicity - Assessment : Reproductive effects seen in female animals are believed to be due to altered nutritional states resulting from extremely high doses of glycerine given in the diet. Similar effects have been seen in animals fed synthetic diets. Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Chlorantraniliprole:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Propanediol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Glycerol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT - repeated exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Components:

Chlorantraniliprole:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Repeated dose toxicity

Components:

Propanediol:

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

Glycerol:

Remarks : Excessive exposure to glycerine may cause increased fat levels in blood.

Aspiration toxicity

Product:

Based on available information, aspiration hazard could not be determined.

Components:

Chlorantraniliprole:

Based on physical properties, not likely to be an aspiration hazard.

Propanediol:

Based on physical properties, not likely to be an aspiration hazard.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Glycerol:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): > 3.26 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Danio rerio (zebra fish)): > 7.74 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.00717 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 3.54 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201 |
| Toxicity to terrestrial organisms | : | LD50 (Apis mellifera (bees)): 2538
Exposure time: 48 h
Method: OECD Test Guideline 213
GLP: yes
Remarks: Oral

LD50 (Apis mellifera (bees)): > 2068
Exposure time: 48 h
Method: OECD Test Guideline 214
GLP: yes
Remarks: contact LD50

oral LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg
Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). |

Components:

Chlorantraniliprole:

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l
Exposure time: 96 h

LC50 (Ictalurus catus (catfish)): > 13.4 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.0116 mg/l
Exposure time: 48 h |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version 2.0	Revision Date: 02/15/2025	SDS Number: 800080101892	Date of last issue: 01/30/2025 Date of first issue: 01/30/2025
----------------	------------------------------	-----------------------------	---

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Propanediol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 19,000 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l
End point: number of offspring
Exposure time: 7 d
Test Type: semi-static test

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Glycerol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): >= 885 mg/l
Exposure time: 96 h
Test Type: static test
Method: Method Not Specified.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h
Test Type: static test
Method: Method Not Specified.

Toxicity to algae/aquatic plants : EC50 (Other): 2,900 mg/l
End point: Growth inhibition (cell density reduction)
Exposure time: 192 h
Test Type: static test
Method: Method Not Specified.

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD 209 Test

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Method: OECD Test Guideline 301
Remarks: Not readily biodegradable.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Propanediol:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F or Equivalent
Remarks: 10-day Window: Pass

Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 64 d
Method: OECD Test Guideline 306 or Equivalent
Remarks: 10-day Window: Not applicable

Biochemical Oxygen Demand (BOD) : 69.000 %
Incubation time: 5 d

70.000 %
Incubation time: 10 d

86.000 %
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 1.53 kg/kg
ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm³/s
Method: Estimated.

Glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 63 %
Exposure time: 14 d
Method: OECD Test Guideline 301C or Equivalent
Remarks: 10-day Window: Not applicable

ThOD : 1.22 kg/kg

Bioaccumulative potential

Components:

Chlorantraniliprole:

Partition coefficient: n-octanol/water : log Pow: 2.76 (20 °C)

Propanediol:

Bioaccumulation : Bioconcentration factor (BCF): 0.09
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.76 (20 °C)
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version 2.0	Revision Date: 02/15/2025	SDS Number: 800080101892	Date of last issue: 01/30/2025 Date of first issue: 01/30/2025
----------------	------------------------------	-----------------------------	---

Balance:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Remarks: No relevant data found.

Propanediol:

Distribution among environmental compartments : Koc: < 1
Method: Estimated.
Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.
Potential for mobility in soil is very high (Koc between 0 and 50).

Glycerol:

Distribution among environmental compartments : Koc: 1
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).
Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Components:

Chlorantraniliprole:

Ozone-Depletion Potential : Remarks: No relevant data found.

Propanediol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Glycerol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is readily biodegradable and thus is not considered persistent or very persistent (P or vP).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes(Chlorantraniliprole)
Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Chlorantraniliprole)

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

For Canadian Ground transportation TDG Exemption: 1.45.1 Marine Pollutants (Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply if they are in transport solely on land by road vehicle or railway vehicle).

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL : This product contains components that are not listed on the Canadian DSL nor NDSL.

Pest Control Products Act (PCPA) Registration Number : 32154

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

PCPA Label Hazard Communications:

Read the label and booklet before using.

This product is toxic to:

Aquatic organisms

Birds

Treated seed is toxic to birds.

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Lumivia Insecticide Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: 01/30/2025
2.0	02/15/2025	800080101892	Date of first issue: 01/30/2025

Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

DSL - Domestic substances List. WHMIS - Workplace Hazardous Materials Information System.

Revision Date	:	02/15/2025
Date format	:	mm/dd/yyyy

Product code: GF-4063

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N