

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Tanos™ Fungicide  
 Tradename/Synonym : B10480592  
 DPX-KP481 50DF  
 DPX-KP481 WG  
 Tanos 50DF  
 Tanos 50WG  
 Famoxadone: 2,4-Oxazolidinedione, 5-methyl-5-(4-phenoxyphenyl)-3-(phenylamino)-  
 Cymoxanil: Acetamide, 2-cyano-N-[(ethylamino)carbonyl]-2-(methoxyimino)-

SDS Number : 130000000560

Product Use : Fungicide  
 Manufacturer : Production Agriscience Canada Company  
 P.O. Box 730, 7398 Queen's Line  
 Chatham, Ontario  
 N7M 5L1  
 Canada

Product Information : 1-800-667-3852  
 Medical Emergency : 1-800-441-3637 (24 hours)

**SECTION 2. HAZARDS IDENTIFICATION**

Potential Health Effects

Skin

Famoxadone : May cause skin irritation. May cause: Discomfort, itching, redness, or swelling..

Cymoxanil : May cause: Irritation with discomfort or pain, redness or rash, itching or swelling.

Eyes

Famoxadone : May cause eye irritation. May cause: Tearing, redness, or discomfort..

Cymoxanil : May cause: Eye irritation, tearing, Pain, Blurred vision.

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

Inhalation  
Cymoxanil : Exposure may result in reddening, tears and itching of the eyes and soreness in the nose and throat, together with coughing.

Ingestion  
Cymoxanil : May cause: altered blood chemistry, Central nervous system depression, dizziness, confusion, incoordination, drowsiness, or unconsciousness, Liver effects.

Repeated exposure  
Famoxadone : Adverse effects from repeated ingestion may include: eye effects

Target Organ  
Famoxadone : Eyes

Carcinogenicity  
None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS-No.	Concentration
Famoxadone	131807-57-3	25 %
Cymoxanil	57966-95-7	25 %
Other Ingredients		50 %

**SECTION 4. FIRST AID MEASURES**

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

- Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Inhalation : Remove person to fresh air. If signs/symptoms continue, get medical attention. Artificial respiration and/or oxygen may be necessary. Call a poison control center or doctor for treatment advice.
- Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.
- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**SECTION 5. FIREFIGHTING MEASURES**

- Flammable Properties
- Flash point : Not applicable
- Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)
- Unsuitable extinguishing media : High volume water jet, (contamination risk)
- Firefighting Instructions : Wear full protective clothing and self-contained breathing apparatus. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

apparatus. Use personal protective equipment.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.

Storage : Store in original container. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering controls : Use only with adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Personal protective equipment

Hand protection : Material: Chemical-resistant gloves

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

- Skin and body protection : Applicators and other handlers must wear:
- Long sleeved shirt and long pants
  - Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
  - Shoes plus socks
  - PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
    - Coveralls
    - Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
    - Shoes plus socks
- Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Exposure Guidelines

Exposure Limit Values

<b>Famoxadone</b>			
AEL *	(DuPont)	2 mg/m3	8 hr. TWA

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
 Revision Date : 04/01/2019

AEL *	(DuPont)	1 mg/m <sup>3</sup>	12 hr. TWA
-------	----------	---------------------	------------

<b>Cymoxanil</b>			
AEL *	(DuPont)	2 mg/m <sup>3</sup>	15 minute TWA

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : solid  
 Color : brown  
 Odor : sweet  
 pH : ca. 6 at 10 g/l 20 °C (68 °F)  
 Bulk density : 600 kg/m<sup>3</sup>  
 Water solubility : dispersible

**SECTION 10. STABILITY AND REACTIVITY**

Stability : Stable at normal temperatures and storage conditions.  
 Conditions to avoid : None reasonably foreseeable.  
 Hazardous decomposition products : Carbon oxides, Nitrogen oxides (NO<sub>x</sub>)  
 Hazardous reactions : Polymerization will not occur.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Tanos™ Fungicide  
 Inhalation 4 h LC50 : > 5.1 mg/l , Rat  
 Dermal LD50 : > 5,000 mg/kg , Rat  
 Oral LD50 : 1,732 mg/kg , male, Rat  
 Oral LD50 : 566 mg/kg , female, Rat

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

Skin irritation : No skin irritation, Rabbit  
Minimal effects that do not meet the threshold for classification.

Eye irritation : No eye irritation, Rabbit  
Minimal effects that do not meet the threshold for classification.

Sensitisation : May cause sensitisation by skin contact., Guinea pig

Famoxadone

Repeated dose toxicity : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral - feed  
Dog

Target Organs: Eyes  
eye effects

Oral - feed  
Rat

Reduced body weight gain, Organ weight changes, Increased liver enzyme levels in serum, Liver effects, Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia)

Dermal  
Rat

Increased liver weight, Increased liver enzyme levels in serum

Carcinogenicity : Animal testing did not show any carcinogenic effects.

Reproductive toxicity : Weight of evidence does not support classification for reproductive toxicity  
Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.  
No effects on or via lactation

Teratogenicity : Animal testing showed no developmental toxicity.

Cymoxanil

Repeated dose toxicity :

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral  
multiple species

Target Organs: Blood, thymus  
altered blood chemistry, No effect to neurotoxicity.

Oral - feed  
Dog  
90 d  
Target Organs: thymus  
Thymus effects

Carcinogenicity : Not classifiable as a human carcinogen.  
Did not show carcinogenic effects in animal experiments.

Reproductive toxicity : No toxicity to reproduction

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

**SECTION 12. ECOLOGICAL INFORMATION**

## Aquatic Toxicity

## Tanos™ Fungicide

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 0.0287 mg/l

## Famoxadone

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 0.048 mg/l

5 d NOEC : Algae 0.009 mg/l

48 h EC50 : Daphnia magna (Water flea) 0.012 mg/l OECD Test Guideline 202

90 d : NOEC Oncorhynchus mykiss (rainbow trout) 0.0014 mg/l

21 d : NOEC Daphnia magna (Water flea) 0.0037 mg/l



**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

**Cymoxanil**

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 2.39 mg/l OECD Test Guideline 201  
48 h EC50 : Daphnia magna (Water flea) 27 mg/l  
21 d : NOEC Oncorhynchus mykiss (rainbow trout) 0.22 mg/l  
21 d : NOEC Daphnia magna (Water flea) 0.067 mg/l  
Information source: Internal study report

**Environmental Fate****Famoxadone**

Bioaccumulation : Bioaccumulation is unlikely.

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. See product label for additional application instructions relating to environmental precautions.

**SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container disposal: : Container Refilling and Disposal:  
Refer to the product label for instructions.  
Do not transport if this container is damaged or leaking.

**SECTION 14. TRANSPORT INFORMATION**

IATA\_C UN number : 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Famoxadone, Cymoxanil)  
Class : 9  
Packing group : III  
Labelling No. : 9

**Tanos™ Fungicide**

Version 3.0

Issue Date : 04/05/2019 Ref. 130000000560  
Revision Date : 04/01/2019

IMDG UN number : 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
SOLID, N.O.S. (Famoxadone, Cymoxanil)  
Class : 9  
Packing group : III  
Labelling No. : 9  
Marine pollutant : yes (Famoxadone, Cymoxanil)

Not regulated by DOT/49 CFR unless shipped in bulk package or by water.  
Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

**SECTION 15. REGULATORY INFORMATION**

PCP Registration # : 27435  
Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.  
No substances are subject to a Significant New Activity Notification.

**SECTION 16. OTHER INFORMATION**

MSDS preparation date : 04/01/2019

(TM) Trademark of E.I. du Pont de Nemours and Company.

Contact person : Production Agriscience Canada Company, Chatham, Ontario, N7M 5L1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.