# **PrePass** FLEX

Transform your glyphosate.

#### **HERBICIDE**

#### WHY USE PREPASS™ FLEX HERBICIDE?

- · Flexibility to tank-mix with any glyphosate formulation.
- Advanced dry formulation that disperses quickly and completely for easy mixing.
- Convenient packaging 640 acre case, no heated storage required.
- · SoilActive™ technology for extended broadleaf weed control.
- · Application flexibility gets the work done earlier, spring or fall.

#### PREPASS™ FLEX + GLYPHOSATE AT 0.5 REL/AC

## BROADLEAF **WEEDS** CONTROLLED

- Annual sow thistle<sup>1</sup>
- · Canada fleabane
- Chickweed
- Cleavers
- Common ragweed
- Cow cockle Flixweed
- · Hemp-nettle
- Kochia
- · Lamb's-quarters
- · Narrow-leaved hawk's beard

## · Redroot pigweed • Russian thistle

- Scentless chamomile
- · Shepherd's purse
- Smartweed
- Stinkweed
- · Volunteer canola<sup>3</sup>
- · Volunteer flax
- Wild buckwheat
- · Wild mustard

## **GRASS WEEDS** CONTROLLED

- · Downy brome
- · Foxtail barley1
- Giant foxtail
- · Green foxtail
- · Persian darnel
- Volunteer barley
- · Volunteer wheat · Wild oats

## PERENNIAL WEEDS **CONTROLLED**

- · Canada thistle<sup>1</sup>
- · Dandelion<sup>2</sup>
- Perennial sow thistle1
- Quackgrass<sup>1</sup>

#### SPRING AND FALL SOILACTIVE™ EXTENDED CONTROL:

- Canada fleabane
- · Chickweed4
- Cleavers<sup>4</sup>
- Common ragweed
- · Dandelion seedling
- Flixweed
- · Hemp-nettle4
- · Lady's-thumb · Lamb's-quarters4
- · Narrow-leaved hawk's beard4
- · Redroot piaweed
- Scentless chamomile
- · Shepherd's purse<sup>4</sup>
- · Smartweed<sup>4</sup>
- Stinkweed<sup>4</sup>
- · Volunteer canola (except Clearfield®)
- Wild buckwheat
- Wild mustard

#### 1 Requires elevated rate of glyphosate; refer to glyphosate label

4 Will not provide extended control of Group 2 resistant biotypes

## **APPLICATION GUIDELINES**

	PACKAGING	8 x 0.648 kg jugs
CROPS  Prior to cereal crops (spring or fall application):	RATES	8.1 g/ac
	ACRES TREATED	80 ac/jug (640 ac/case)
	WATER VOLUME	Ground 20-40 L/ac (5-10 US gal/ac)
Barley		Spring application: Prior to seeding
Durum wheat		(no later than 48 hours after seeding)
Oats	TIMING	Chemfallow: When weeds are actively growing, 1 to 4-leaf stage
Spring wheat		Fall application: From after harvest to freeze up
Winter wheat		110020 dp
	RAINFAST	30 minutes
	TANK-MIX HERBICIDES	Compatible with all forms     of glyphosate



# DOWNLOAD THE 2025 FIELD GUIDE APP FOR PRODUCT SPECIFIC TANK-MIX INSTRUCTIONS.

# MIXING INSTRUCTIONS

- 1. Fill sprayer tank ½ full of water
- 2. Start sprayer tank agitation
- 3. Add the required amount of PrePass™ Flex herbicide continue agitation
- 4. Add the required amount of glyphosate, continue agitation
- 5. Fill the sprayer tank with sufficient water to spray 20-40 L/ac (5-10 US gal/ac)

#### APPLICATION TIMING AND SEEDING

- PrePass™ FLEX can be applied in the spring prior to planting wheat, barley or oats.
- PrePass FLEX applied after August 1 can be seeded to winter wheat that fall or spring wheat, durum, barley and oats the following spring.

41

#### **GRAZING AND HARVEST**

- · Livestock may be grazed on treated crops 7 days following application.
- Do not harvest the treated crop within 60 days after application.

40

<sup>2</sup> Seedling, overwintered rosettes, mature plants up to 30 cm in diameter.

<sup>3</sup> All herbicide-tolerant varieties